



Sri Devaraj Urs Educational Trust (R.)

R. L. JALAPPA INSTITUTE OF TECHNOLOGY

(Approved by AICTE, New Delhi & Affiliated to VTU, Belagavi)

Kodigehalli, Doddaballapur- 561 203

Online Faculty's Feedback on Ambience and Academic Performance of the Institution for 2021-22.

1. Classrooms are Clean and healthy that improves the Quality of Teaching.

1.Excellent 2.Very good 3. Good 4.Fair

2. Physical environment promotes positive interaction with peer.

1.Excellent 2.Very good 3. Good 4.Fair

3. Library ambience is sufficient for informal teaching process.

1.Excellent 2.Very good 3. Good 4.Fair

4. The laboratory environment creates effective learning and understanding of experiments.

1.Excellent 2.Very good 3. Good 4.Fair

5. The grievance redressal mechanism is effective.

1.Excellent 2.Very good 3. Good 4.Fair

6. Sufficient basic requirements and study tools are there in class and lab.

1.Excellent 2.Very good 3. Good 4.Fair

7. Rules and regulations of evaluation improved the academic performance.

1.Excellent 2.Very good 3. Good 4.Fair

8. The Curriculum is well structured and planned.


1.Excellent 2.Very good 3. Good 4.Fair

9. Any other Issues to mention..

PRINCIPAL
R.L. JALAPPA INSTITUTE OF TECHNOLOGY
Kodigehalli, Doddaballapur-561203. Karnataka


1. CLASSROOMS ARE CLEAN AND HEALTHY THAT IMPROVES THE QUALITY OF TEACHING.

■ No of Excellent ■ No of Very Good ■ No of Good ■ No of Fair



2. PHYSICAL ENVIRONMENT PROMOTES POSITIVE INTERACTION WITH PEER.


■ No of Excellent ■ No of Very Good ■ No of Good ■ No of Fair



PRINCIPAL
R.L. JALAPPA INSTITUTE OF TECHNOLOGY
Kodigehalli, Doddaballapur-561203. Karnataka


3. LIBRARY AMBIENCE IS SUFFICIENT FOR INFORMAL TEACHING PROCESS.

■ No of Excellent ■ No of Very Good ■ No of Good ■ No of Fair



4. THE LABORATORY ENVIRONMENT CREATES EFFECTIVE LEARNING AND UNDERSTANDING OF EXPERIMENTS.


■ No of Excellent ■ No of Very Good ■ No of Good ■ No of Fair



PRINCIPAL
R.L. JALAPPA INSTITUTE OF TECHNOLOGY
Kodigehalli, Doddaballapur-561203, Kamataka


5. THE GRIEVANCE REDRESSAL MECHANISM IS EFFECTIVE.

■ No of Excellent ■ No of Very Good ■ No of Good ■ No of Fair



6. SUFFICIENT BASIC REQUIREMENTS AND STUDY TOOLS ARE THERE IN CLASS AND LAB.


■ No of Excellent ■ No of Very Good ■ No of Good ■ No of Fair



PRINCIPAL
R.L. JALAPPA INSTITUTE OF TECHNOLOGY
Kodigehalli, Doddaballapur-561203, Kamataka


7. RULES AND REGULATIONS OF EVALUATION IMPROVED THE ACADEMIC PERFORMANCE.

■ No of Excellent ■ No of Very Good
■ No of Good ■ No of Fair



8. THE CURRICULUM IS WELL STRUCTURED AND PLANNED.

■ No of Excellent ■ No of Very Good ■ No of Good ■ No of Fair



PRINCIPAL
R.L. JALAPPA INSTITUTE OF TECHNOLOGY
Kodigehalli, Doddaballapur-561203, Karnataka

Faculty Response

Times tamp	Name	1. Classrooms are Clean and healthy that improves the Quality of Teaching.	2. Physical environment promotes positive interaction with peer.	3. Library ambience is sufficient for informal teaching process.	4. The laboratory environment creates effective learning and understanding of experiments.	5. The grievance redressal mechanism is effective.	6. Sufficient basic requirements and study tools are there in class and lab.	7. Rules and regulations of evaluation improved the academic performance.	8. Curriculum need restructuring.	9. Any other issues to mention..
03-03-2022 09:10	Dr Hanumanthe Gowda	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Very good	Excellent	wash room problem
03-03-2022 09:11	Suchendra K R	Excellent	Very good	Excellent	Excellent	Excellent	Excellent	Fair	Good	
03-03-2022 09:18	Dr Anil Kumar C	Excellent	Fair	Good	Excellent	Excellent	Very good	Excellent	Excellent	
03-03-2022 09:29	Dr Harish S	Good	Good	Good		Good	Good	Good	Good	
03-03-2022 13:47	Shilpaka la V	Good	Good	Good	Good	Good	Good	Good	Good	
03-03-2022 09:58	Shivakumar P	Very good	Very good	Very good	Excellent	Very good	Very good	Very good	Very good	
03-03-2022 09:59	Lavanya Vaishnavi	Excellent	Excellent	Fair	Good	Excellent	Excellent	Excellent	Excellent	
03-03-2022 10:06	Aruna R	Excellent	Excellent	Very good	Very good	Good	Good	Good	Excellent	
03-03-2022 10:18	Kavya S R	Fair	Very good	Fair	Fair	Good		Fair	Good	wash room not clean
03-03-2022	Venkatesh	Very good	Excellent	Excellent	Very good	Very good	Excellent	Excellent	Very good	

10:38										
03-03-2022 11:12	Eshwara char	Good	Good	Good	Good	Fair	Good	Good	Good	
03-03-2022 11:13	Divya M L	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	
03-03-2022 11:16	Thirumalesh	Very good	Excellent	Excellent	Excellent	Very good	Excellent	Excellent	Excellent	
03-03-2022 11:46	Gowrishankar T P	Fair	Good	Excellent	Excellent	Fair	Good	Excellent	Excellent	
03-03-2022 11:48	Mr. Madhura N R	Good	Good	Good		Good	Good	Good	Good	parking facility required
03-03-2022 11:52	Mrs. Hemalatha	Good	Good	Good	Good	Very good	Excellent	Very good	Excellent	
03-03-2022 12:19	Mr. Lokesh Yadav B R	Very good	Very good	Very good	Very good	Fair	Good	Fair	Good	
03-03-2022 12:28	Aarathi V	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	
03-03-2022 12:30	M.S. Rekha	Excellent	Excellent	Very good	Very good	Good	Good	Good	Excellent	Lift not working
03-03-2022 12:36	Mr. Vijay Kumar	Fair	Very good	Fair	Fair	Good	Good	Fair	Good	
03-03-2022 12:47	Mr. Lokesh R	Very good	Excellent	Excellent	Very good	Very good	Excellent	Excellent	Very good	lift problem
03-03-2022 12:53	Mr. Manjesh N	Good	Good	Good	Good	Fair	Good	Good	Good	
03-03-2022 12:58	Ms. Sujatha V	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	
03-03-	Ms.	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	

2022 12:36	Veena K									
03-03-2022 13:12		Excellent	Excellent	Excellent	Excellent	Excellent	Very good	Excellent	Excellent	
03-03-2022 13:26	Mr. Vinay kumar Y B	Good	Good	Good		Good	Good	Good	Good	no prope r parki ng
03-03-2022 12:36		Good	Good	Good	Good	Good	Good	Good	Good	
03-03-2022 13:40	Mr. Iliyaz Pasha	Very good	Very good	Very good	Very good	Very good	Very good	Very good	Very good	
03-03-2022 13:42		Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
03-03-2022 13:56	Ms. Samhit ha S B	Excellent	Excellent	Very good	Very good	Good	Good	Good	Excellent	
03-03-2022 14:28		Fair	Very good	Fair	Fair	Good	Good	Fair	Good	


PRINCIPAL
 R.L. JALAPPA INSTITUTE OF TECHNOLOGY
 Kodigehalli, Doddaballapur-561203. Kamataka