



Sri Devaraj Urs Educational Trust (R.)

R. L. JALAPPA INSTITUTE OF TECHNOLOGY

(Approved by AICTE, New Delhi & Affiliated to VTU, Belagavi)

Kodigehalli, Doddaballapur- 561 203

Online Parent's Feedback on Ambience and Academic Performance of the Institution for 2021-22.

1. Classrooms are Clean and healthy that improves the Quality of Learning.

1.Excellent 2.Very good 3. Good 4.Fair

2. Physical environment promotes positive interaction with peer.

1.Excellent 2.Very good 3. Good 4.Fair

3. Library ambience is sufficient for informal learning process.

1.Excellent 2.Very good 3. Good 4.Fair

4. The laboratory environment creates effective learning and understanding of experiments.

1.Excellent 2.Very good 3. Good 4.Fair

5. The grievance redressal mechanism is effective.

1.Excellent 2.Very good 3. Good 4.Fair

6. Teachers are always available for discussion and guidance.

1.Excellent 2.Very good 3. Good 4.Fair

7. Academics is supported with appropriate study tools.

1.Excellent 2.Very good 3. Good 4.Fair

8. Rules and regulations of evaluation improved the academic performance.

1.Excellent 2.Very good 3. Good 4.Fair

9. The teachers compensated the inadequacy of information in textbooks.

1.Excellent 2.Very good 3. Good 4.Fair

10. The Curriculum is well structured and planned.


1.Excellent 2.Very good 3. Good 4.Fair

11. Any other Issues to mention..

PRINCIPAL
R.L. JALAPPA INSTITUTE OF TECHNOLOGY
Kodigehalli, Doddaballapur-561203, Karnataka


1. CLASSROOMS ARE CLEAN AND HEALTHY THAT IMPROVES THE QUALITY OF LEARNING.

■ No of Excellent ■ No of Very good ■ No of Good ■ No of Fair




2. PHYSICAL ENVIRONMENT PROMOTES POSITIVE INTERACTION WITH PEER.

■ No of Excellent ■ No of Very good ■ No of Good ■ No of Fair



3. LIBRARY AMBIENCE IS SUFFICIENT FOR INFORMAL LEARNING PROCESS.


■ No of Excellent ■ No of Very good ■ No of Good ■ No of Fair



PRINCIPAL
R.L. JALAPPA INSTITUTE OF TECHNOLOGY
Kodinehalli, Doddaballapur-561203, Karnataka


4. THE LABORATORY ENVIRONMENT CREATES EFFECTIVE LEARNING AND UNDERSTANDING OF EXPERIMENTS.

■ No of Excellent ■ No of Very good ■ No of Good ■ No of Fair



5. THE GRIEVANCE REDRESSAL MECHANISM IS EFFECTIVE.


■ No of Excellent ■ No of Very good ■ No of Good ■ No of Fair



PRINCIPAL
R.L. JALAPPA INSTITUTE OF TECHNOLOGY
Kodigehalli, Doddaballapur-561203, Karnataka


6. TEACHERS ARE ALWAYS AVAILABLE FOR DISCUSSION AND GUIDANCE.

■ No of Excellent ■ No of Very good ■ No of Good ■ No of Fair



7. ACADEMICS IS SUPPORTED WITH APPROPRIATE STUDY TOOLS.


■ No of Excellent ■ No of Very good ■ No of Good ■ No of Fair



PRINCIPAL
R.L. JALAPPA INSTITUTE OF TECHNOLOGY
Kodigehalli, Doddaballapur-561203, Karnataka


8. RULES AND REGULATIONS OF EVALUATION IMPROVED THE ACADEMIC PERFORMANCE.

■ No of Excellent ■ No of Very good ■ No of Good ■ No of Fair




9. THE TEACHERS COMPENSATED THE INADEQUACY OF INFORMATION IN TEXTBOOKS.

■ No of Excellent ■ No of Very good ■ No of Good ■ No of Fair



10. Curriculum need restructuring.

■ 10. Curriculum need restructuring. ■ Excellent ■ Very good ■ Good ■ Fair




PRINCIPAL
R.L. JALAPPA INSTITUTE OF TECHNOLOGY
Kodigehalli, Doddaballapur-561203, Karnataka

Parents Response

Time stamp	Name	1. Classrooms are Clean and healthy that improves the Quality of Learning.	2. Physical environment promotes positive interaction with peer.	3. Library ambience is sufficient for informal learning process.	4. The laboratory environment creates effective learning and understanding of experiments.	5. The grievance redressal mechanism is effective.	6. Teachers are always available for discussion and guidance.	7. Academic is supported with appropriate study tools.	8. Rules and regulations of evaluation improved the academic performance.	9. The teachers compensated the inadequacy of information in textbooks.	10. Curriculum need restructuring.	11. Any other issues to mention..
03-03-2022 12:30	Mr. Ravi Prasad MR	Very good	Very good	Fair	Good	Good	Fair	Good	Very good	Excellent	Very good	No parking facility
03-03-2022 13:14	Mr. Balaiahgari Devendra	Very good	Very good	Very good	Very good	Very good	Excellent	Very good	Very good	Very good	Very good	No proper cleaning in washrooms
03-03-2022 13:30	Mr. G. Haribabu	Good	Good	Good	Good	Good	Good	Good	Excellent	Good	Good	
03-03-2022 13:39	Mr. Thimmaraju	Very good	Very good	Very good	Excellent	Very good	Very good	Very good	Excellent	Very good	Very good	No proper cleaning in washrooms
03-03-2022 13:47	Mr. Chandra Mohan KV	Good	Very good	Good	Good	Good	Good	Good	Very good	Very good	Very good	No parking facility
03-	Mrs.	Good	Good	Good	Good	Good	Good	Good	Good	Good	Good	


PRINCIPAL
 R.L. JALAPPA INSTITUTE OF TECHNOLOGY
 Kodigehalli, Doddaballapur-561203, Karnataka

03-2022 13:49	Siddappa	d		d		d	d	d					
03-2022 09:57	Mr. Rangappa	Very good	Very good	Very good	Very good	Excellent	Very good	Good	Good	Good	Good	Very good	No parking facility
03-2022 13:56	Mr. Kariyanna	Good	Very good	Good	Good	Good	Good	Good	Good	Good	Good	Good	
03-2022 14:08	Mr. Krishnappa	Fair	Fair	Good	Good	Good	Good	Good	Good	Good	Good	Fair	
03-2022 14:28	Mrs. Lokesh T S	Excellent	Very good	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	No parking facility
03-2022 14:32	Mr. Basavaraju H L	Very good	Good	Good	Very good	Very good	Excellent	Very good	Excellent	Very good	Very good	Good	
03-2022 14:46	Mr. Lakshmi narayanna	Very good	Good	Very good	Very good	Very good	Very good	Good	Good	Good	Excellent	Very good	
03-2022 14:56	Mr. Muniyappa	Excellent	Excellent	Very good	Very good	Very good	Very good	Very good	Very good	Very good	Excellent	Excellent	lift problem
03-2022 15:16	Mr. Prakash.C	Good	Excellent	Excellent	Very good	Very good	Good	Very good	Very good	Very good	Excellent	Fair	
03-2022 15:18	Mr. Manjunath G C	Fair	Fair	Very good	Fair	Fair	Good	Very good	Very good	Good	Good	Good	
03-2022 15:26	Mr. Daripeni Nagaraju	Very good	Very good	Excellent	Excellent	Very good	Very good	Excellent	Excellent	Very good	Very good	Very good	Lift not working
03-2022	Mr. Nagaesna	Very good	Good	Very good	Very good	Very good	Very good	Very good	Good	Very good	Very good	Very good	


PRINCIPAL
 R.L. JALAPPA INSTITUTE OF TECHNOLOGY
 Kodigehalli, Doddaballapur-561203, Karnataka

15:49	ppa			d									
03-03-2022 16:08	Mr. D Kristappa	Excellent	Excellent	Excellent	Excellent	Excellent	Very good	Very good	Excellent	Excellent	Excellent		
03-03-2022 16:18	Mr. J Prasad Reddy	Good	Excellent	Excellent	Very good	Very good	Good	Good	Good	Excellent	Fair	Was hroom problem	
03-03-2022 18:36	Mr. Malleswari	Fair	Fair	Very good	Very good	Very good	Very good	Good	Fair	Good	Good		
03-03-2022 20:37	Mr. Adinarayana	Very good	Very good	Excellent	Excellent	Very good	Very good	Excellent	Excellent	Very good	Very good	No proper cleaning in wash rooms	
03-03-2022 22:10	Mr. G. Haribabu	Very good	Good	Very good	Very good	Very good	Very good	Very good	Good	Very good	Very good	No proper cleaning in wash rooms	


PRINCIPAL
 R.L. JALAPPA INSTITUTE OF TECHNOLOGY
 Kodigehalli, Doddaballapur-561203, Karnataka